

Date of Deposit: 06/08/2005

Please type a plus sign (+) in this box +

PTO/SB (12-97)

Approved for use through 9/30/00. OMB 0651-0031

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Information Disclosure Statement by Applicant (use as many sheets as necessary)		Application Number	10/055,569
		Filing Date	10/26/2001
		First Named Inventor	Gangolli, et al.
		Group Art Unit	1646
		Examiner Name	Pak, Michael D
		Attorney Docket Number	Cura 491 (21402-191)

U.S. PATENT DOCUMENTS							
Exam Initials	Cite No.	U.S. Patent Document No.	Issue Date	Name of Patentee(s) or Applicant(s)	Class	Sub Class	Filing Date If Appropriate
	A1						

FOREIGN PATENT DOCUMENTS					
Exam Initials	Cite No.	Foreign Patent Document Office Number	Name of Patentee(s) or Applicant(s)	Date of Publication	Translation Yes No
	B1				

OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS		
Exam Initials	Cite No.	Name of Author, Title (when appropriate), Publication, Volume, Page(s), Date, Etc.
	C1	Agnello, V., G. Abel, et al. (1999). "Hepatitis C virus and other flaviviridae viruses enter cells via low density lipoprotein receptor." Proc Natl Acad Sci U S A 96(22): 12766-71.
	C2	Begum, N., L. Ragolia, et al. (1996). "Effect of tumor necrosis factor-alpha on insulin-stimulated mitogen- activated protein kinase cascade in cultured rat skeletal muscle cells." Eur J Biochem 238(1): 214-20.
	C3	Berg, J. M. (1990). "Zinc finger domains: hypotheses and current knowledge." Annu Rev Biophys Biophys Chem 19: 405-21.
	C4	Brose, N., A. G. Petrenko, et al. (1992). "Synaptotagmin: a calcium sensor on the synaptic vesicle surface." Science 256(5059): 1021-5.
	C5	Brown, M. S. and J. L. Goldstein (1974). "Familial hypercholesterolemia: defective binding of lipoproteins to cultured fibroblasts associated with impaired regulation of 3-hydroxy-3- methylglutaryl coenzyme A reductase activity." Proc Natl Acad Sci U S A 71(3): 788-92.
	C6	Bulleit, R. F. and T. Hsieh (2000). "MEK inhibitors block BDNF-dependent and -independent expression of GABA(A) receptor subunit mRNAs in cultured mouse cerebellar granule neurons." Brain Res Dev Brain Res 119(1): 1-10.
	C7	Caramelli, P., R. Nitrini, et al. (1999). "Increased apolipoprotein B serum concentration in Alzheimer's disease." Acta Neurol Scand 100(1): 61-3.
	C8	Carpintero, P., R. Anadon, et al. (1999). "Expression of the thymosin beta10 gene in normal and kainic acid- treated rat forebrain." Brain Res Mol Brain Res 70(1): 141-6.
	C9	Chan, S. L. and M. P. Mattson (1999). "Caspase and calpain substrates: roles in synaptic plasticity and cell death." J Neurosci Res 58(1): 167-90.
	C10	Chen, H., S. Fre, et al. (1998). "Epsin is an EH-domain-binding protein implicated in clathrin-mediated endocytosis." Nature 394(6695): 793-7.
	C11	Chen, H., V. I. Slepnev, et al. (1999). "The interaction of epsin and Eps15 with the clathrin adaptor AP-2 is inhibited by mitotic phosphorylation and enhanced by stimulation- dependent dephosphorylation in nerve terminals." J Biol Chem 274(6): 3257-60.

JUN 13 2005
PATENT & TRADEMARK OFFICE

OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS

Exam Initials	Cite No.	Name of Author, Title (when appropriate), Publication, Volume, Page(s), Date, Etc.
	C12	Chen, J. F., K. Xu, et al. (2001). "Neuroprotection by caffeine and A(2A) adenosine receptor inactivation in a model of Parkinson's disease." <i>J Neurosci</i> 21(10): RC143.
	C13	Cooper, P. R., N. J. Nowak, et al. (1998). "Transcript mapping of the human chromosome 11q12-q13.1 gene-rich region identifies several newly described conserved genes." <i>Genomics</i> 49(3): 419-29.
	C14	Dear, N., K. Matena, et al. (1997). "A new subfamily of vertebrate calpains lacking a calmodulin-like domain: implications for calpain regulation and evolution." <i>Genomics</i> 45(1): 175-84.
	C15	Donkor, I. O. (2000). "A survey of calpain inhibitors." <i>Curr Med Chem</i> 7(12): 1171-88.
	C16	Driessens, B., R. Bultmann, et al. (1998). "Depression of C fiber-evoked activity by intrathecally administered reactive red 2 in rat thalamic neurons." <i>Brain Res</i> 796(1-2): 284-90.
	C17	El Yacoubi, M., C. Ledent, et al. (2001). "Adenosine A2A receptor antagonists are potential antidepressants: evidence based on pharmacology and A2A receptor knockout mice." <i>Br J Pharmacol</i> 134(1): 68-77.
	C18	Gao, G. and Q. P. Dou (2000). "N-terminal cleavage of bax by calpain generates a potent proapoptotic 18-kDa fragment that promotes bcl-2-independent cytochrome C release and apoptotic cell death." <i>J Cell Biochem</i> 80(1): 53-72.
	C19	Goodall, et al. (1987) "Molecular cloning of the cDNA for rat spleen thymosin beta 10 the deduced amino acid sequence." <i>Arch. Biophys.</i> 256(1):402-405 GenBank Accession Number: A27266 .
	C20	Condon, et al. (1992) "Human thymosin beta 10 gene: Its characterization and nucleotide sequence." Unpublished. GenBank Accession Number: AAA36746 .
	C21	Cooper, et al (1998) "Transcript mapping of the human chromosome 11q12-q13.1 gene-rich region identifies several newly described conserved genes." <i>Genomics</i> 49(3):419-429. GenBank Accession Number: AAB92667 .
	C22	Chen, et al. (1998) "Epsin is an EH-domain-binding protein implicated in clathrin-mediated endocytosis." <i>Nature</i> 394 (6695):793-797. GenBank Accession Number: AAC33823 .
	C23	Stukenberg, et al. (1997) "Systematic identification of mitotic phosphoproteins." <i>Curr.Biol.</i> 7(5):338-348. GenBank Accession Number: AAC60123 .
	C24	Rosenthal, et al. (1999) "The epsins define a family of proteins that interact with components of the clathrin coat and contain a new protein module." <i>J. Biol. Chem.</i> 274(48):33959-33965. GenBank Accession Number: AAC78608 .
	C25	Adams, et al. (2000) "The genome sequence of <i>Drosophila melanogaster</i> ." <i>Science</i> 287(5461):2185-2195. GenBank Accession Number: AAF58533 .
	C26	Wong, et al. (2000) "Cloning and analysis of the mouse Fanconi anemia group A cDNA and an overlapping penta zinc finger cDNA." <i>Genomics</i> 67(3):273-283. GenBank Accession Number: AAG01634 .
	C27	Strausberg, R. (2001) Direct Submission. National Institute of Health , Mammalian Gene Collection (MGC), Cancer genomics Office , National Cancer Institute. GenBank Accession Number: AAH06622 .
	C28	Strausberg, R. (2001) Direct Submission. National Institute of Health , Mammalian Gene Collection (MGC), Cancer genomics Office , National Cancer Institute. GenBank Accession Number: AAH14187 .
	C29	Strausberg, R. (2001) Direct Submission. National Institute of Health , Mammalian Gene Collection (MGC), Cancer genomics Office , National Cancer Institute. GenBank Accession Number: AAH14830 .
	C30	Sugita, et al. "Synaptotagmin VII as a plasma membrane Ca (2+) sensor in exocytosis." <i>Neuron</i> 30(2):459-473. GenBank Accession Number: AAK01451 .
	C31	Sugita, et al. "Synaptotagmin VII as a plasma membrane Ca (2+) sensor in exocytosis." <i>Neuron</i> 30(2):459-473. GenBank Accession Number: AAK01455 .
	C32	Yoshida, S. (1998) Direct Submission. Nara Institute of Science and Technology, Department of Structural cell Biology. GenBank Accession Number: AB012917 .
	C33	Mitsui, et al (2000) "cDNA cloning and tissue-specific splicing variants of mouse hippocasin/TLSP (PRSS20) (1)." <i>Biochim. Biophys. Acta</i> 1494 (1-2):206-210. GenBank Accession Number: AB016227 .
	C34	Fucuda, et al.(1999) "Conserved N-terminal cysteine motif is essential for homo- and heterodimer formation of synaptotagmins III, V, VI and X." <i>J. Biol. Chem.</i> 274(44):31421-31427GenBank Accession Number: AB026804 .
	C35	Nagase, et al. (2000) "Prediction of the coding sequences of unidentified human genes XVI. The complete sequences of 150 new cDNA clones from brain which code for large proteins in vitro." DNA



Express Mail No. E1#####US
Date of Deposit: 06/08/2005

Page 3 of 6

OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS		
Exam Initials	Cite No.	Name of Author, Title (when appropriate), Publication, Volume, Page(s), Date, Etc.
		Res. 7 (1):65-73. GenBank Accession Number: AB037802.
	C36	Osada, et al. "Isolation of full-length cDNA clones from macaque brain cDNA libraries." Unpublished. GenBank Accession Number: AB052145.
	C37	Adams, et al. (2000) "The genome sequence of <i>Drosophila melanogaster</i> ." Science 287(5461):2185-2195. GenBank Accession Number: AE003822.
	C38	Chen, et al. (1998) "Epsin is an EH-domain-binding protein implicated in clathrin-mediated endocytosis." Nature 394(6695):793-797. GenBank Accession Number: AF018261.
	C39	Cooper, et al. (1998) "Transcript mapping of the human chromosome 11q-12-q13.1 gene-rich region identifies several newly described conservedGenBank Accession Number: AF038535 (30-JUL-1999)
	C40	Rosenthal, et al. (1999)"The epsin define a family of proteins that interact with components of the clathrin coat and contain a new protein module." J. Biol. Chem. 274(48):33959-33965. GenBank Accession Number: AF062084.
	C41	Morinaka, et al. (1999) "Epsin binds to the EH domain of POB1 and regulates receptor-mediated endocytosis." Ocnogene 18(43):5915-5922. GenBank Accession Number: AF073727.
	C42	Chatterton, et al. (1999) "Expression cloning of LDLB, a gene essential for normal Golgi function and essembly of the IdlCp complex." Proc. Natl. Acad. Sci. U.S.A. 96(3):915-920.GenBank Accession Number: AF109377.
	C43	Yousef, et al. (2000)"Genomics organization , mapping, tissue expression, and hormaonal nregulation of trypsin-like serine protease (TLSP PRSS20), a new number of the human kallikrein gene family." Genomics 63(1):88-96.GenBank Accession Number: AF164623.
	C44	Sugita, et al. (2001)"Synaptotagmin VII as a plasma membrane Ca(2+) sensor in exocytosis." Neuron 30(2):459-473. GenBank Accession Number: AF336856.
	C45	Sugita, et al. (2001) "Synaptotagmin VII as a plasma membrane Ca(2+) sensor in exocytosis." Neuron 30(2):459-473.GenBank Accession Number: AF336860.
	C46	Dear, et al. (2000) "Gene structure, chromosomal localization, and expression pattern of capn12, a new member of the calpain large subunit gene family." Genomics 68(2):152-160. GenBank Accession Number: AJ289241.
	C47	Carninici, et al. (1999)"High-efficiency full-length cDNA cloning." Meth. Enzymol. 303:19-44.GenBank Accession Number: AK009392.
	C48	Ottenwaelder, et al. (2000) Direct Submission. GenBank Accession Number: AL137556.
	C49	Wood, et al. (2002)"The genome sequenceof of <i>Schizosaccharomyces pombe</i> ." Nature 415(6874):871-880. GenBank Accession Number: AL157917.
	C50	Yoshida, S. (1998) Direct Submission. Nara Institute of Science and Technology, Department of Structural cell Biology. GenBank Accession Number: BAA33404.
	C51	Mitsui, et al. (2000) "cDNA cloning and tissue-specific splicing variants of mouse hippocasin/TLSP (PRSS20) (1)." Biochim. Biophys. Acta 1494 (1-2):206-210. GenBank Accession Number: BAA36955.
	C52	Nagase, et al. (2000)"Prediction of the coding sequences of unidentified human genes XVI. The complet sequences of 150 new cDNA clones from brain which code for large protein in vitro." DNA Res. 7(1):65-73. GenBank Accession Number: BAA92619.
	C53	Isogai, et al. (2000)"NEDO human sequencing project." Unpublished. GenBank Accession Number: BAB14041.
	C54	Osada, et al. "Isolation of full-length cDNA clones from macaque brain cDNAlibraries." Unpublished. GenBank Accession Number: BAB18999.
	C55	Osada, et al. "Isolation of full-length cDNA clones from macaque brain cDNAlibraries." Unpublished. GenBank Accession Number: BAB19000.
	C56	Carninici, et al. (1999)"High efficiency full-length cDNA cloning." Meth. Enzymol. 303:19-44. GenBank Accession Number: BAB26261.
	C57	Strausberg,R. Direct Submission. National Institute of Health, Mammalian gene Collection (MGC), cancer Genomics Office, National cancer Institute. GenBank Accession Number: BC006622.
	C58	Strausberg,R. Direct Submission. National Institute of Health, Mammalian gene Collection (MGC), cancer Genomics Office, National cancer Institute. GenBank Accession Number: BC014187.
	C59	Strausberg,R. Direct Submission. National Institute of Health, Mammalian gene Collection (MGC), cancer Genomics Office, National cancer Institute. GenBank Accession Number: BC014830.
	C60	Blum, et al. (1999) Direct Submission. GenBank Accession Number: CAB61412.

OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS

Ref. No.	Cite No.	Name of Author, Title (when appropriate), Publication, Volume, Page(s), Date, Etc.
	C61	Wood, et al. (2000) "The genome sequence of <i>Schizosaccharomyces pombe</i> ." <i>Nature</i> 415(6874):871-880. GenBank Accession Number: CAB76033.
	C62	Dear, et al. (2000) "Gene structure, chromosomal localization, and expression pattern of capn12, a new member of calpain large subunit gene family." <i>Genomics</i> 68(2):152-160. GenBank Accession Number: CAC10066.
	C63	Dear, et al. (2000) "Gene structure, chromosomal localization, and expression pattern of capn12, a new member of calpain large subunit gene family." <i>Genomics</i> 68(2):152-160. GenBank Accession Number: CAC10067.
	C64	Dear, et al. (2000) "Gene structure, chromosomal localization, and expression pattern of capn12, a new member of calpain large subunit gene family." <i>Genomics</i> 68(2):152-160. GenBank Accession Number: CAC10068.
	C65	Goodall, et al. (1985) "Sequence of cloned 523-bp cDNA for thymosin beta 4." <i>Arch. Biochem. Biophys.</i> 236(1):445-447. GenBank Accession Number: I52084.
	C66	Zheng, et al. (1993) "Cloning and characterization and distinct human extracellular signal regulated kinase, MEK1 and MEK2." <i>J. Biol. Chem.</i> 268:11435-11439. GenBank Accession Number: L11285.
	C67	Stipp, et al. (1994) "Cerebroglycan: An integral membrane heparansulfate proteoglycan that is unique to the developing nervous system and expressed specifically during neuronal differentiation." <i>J. cell Biol.</i> 124:149-160. GenBank Accession Number: L20468.
	C68	Hall, et al. (1990) "Thymosin beta 10 levels in developing human brain its regulation by retinoic acid in the HTB-10 neuroblastoma ." <i>Brain Res. Mol. Brain Res.</i> 8(2):129-135. GenBank Accession Number: M92381.
	C69	Condon, et al. (1992) "Human thymosin beta 10 gene: Its characterization and nucleotide sequence." Unpublished. GenBank Accession Number: M92383.
	C70	Ayyanathan, et al. (1996) "Cloning and chromosomal localization of the humaP2Y1purinoceptor." <i>Biochem. Biophys. Res. Commun.</i> 218(3):783-788. GenBank Accession Number: NP_002554.
	C71	Pine-Saunders, et al. (1999) "GPC6, a novel member of the glycan gene family, encodes a product structurally related to GPC4 and is colocalized with GPC4 on human chromosome 13." <i>Genomics</i> 57(3):455-458. GenBank Accession Number: NP_005699.
	C72	Yoshida, et al. (1998) "cDNA cloning and expression of a novel serine protease, TLSP." <i>Biochim. Biophys. Acta</i> 1399 (2-3):225-228. GenBank Accession Number: NP_006844.
	C73	Melloni, et al. (1998) "The calpains." <i>Trends neurosci.</i> 12(11):438-444. GenBank Accession Number: NP_008989.
	C74	Watanabe, et al. "K-glycal: a novel GPI-anchored heparin sulfate proteoglycan that is highly expressed in developing brain and kidney." <i>J. Cell Biol.</i> 130(5):1207-1218. GenBank Accession Number: NP_032176.
	C75	Tokuyama, et al. (1995) "Cloning of rat and mouse P2Ypurinoceptors." <i>Biochem. Biophys. Res. Commun.</i> 211(1):211-218. GenBank Accession Number: NP_032798.
	C76	Veugelers, et al. (1999) "Glycan-6, a new member of the glycan family of cell surface heparan sulfate proteoglycans." <i>J. Biol. Chem.</i> 274(38):26968-26977. GenBank Accession Number: NP_035951.
	C77	Chen, et al. (1998) "Epsin is an EH-domain-binding protein implicated in clathrin-mediated endocytosis." <i>Nature</i> 394(6695):793-797. GenBank Accession Number: NP_037465.
	C78	Chatterton, et al. (1999) "Expression cloning of LDLB, a gene essential for normal Golgi function and assembly of the ldlCp complex." <i>Proc. Natl. Acad. Sci. U.S.A.</i> 96(3):915-920. GenBank Accession Number: NP_038609.
	C79	Fucuda, et al. (1999) "Conserved N-terminal cystein motif is essential for homo-and heterodimer formation of synaptotagmins III, V, VI and X." <i>J. Biol. Chem.</i> 274(44):31431-31427. GenBank Accession Number: NP_061271.
	C80	Carninci, et al. (2000) "Normalization and subtraction of cap-trapper-selected cDNA to prepare full-length cDNA libraries for rapid discovery of new genes." <i>Genome Res.</i> 10(10):1617-1630. GenBank Accession Number: NP_064358.
	C81	Wong, et al. (2000) "Cloning and analysis of the mouse Fanconi anemia group A cDNA and an overlapping penta zinc finger cDNA." <i>Genomics</i> 67(3):273-283. GenBank Accession Number: NP_065243.
	C82	McCreary, et al. (1988) "Sequence of human kidney cDNA clone encoding thymosin beta 10." <i>Biochem.</i>



OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS

Exam Initials	Cite No.	Name of Author, Title (when appropriate), Publication, Volume, Page(s), Date, Etc.
		Biophys. Res. Commun. 152(2):862-866. GenBank Accession Number: NP_066926.
	C83	Li, et al. (1995)"Ca (2+)-dependent and independent activities of neural and non-neural synaptotagmins." Nature 375(6532):594-599. GenBank Accession Number: NP_067691.
	C84	Dear, et al. (2000)"Gene structure, chromosomal localization, and expression pattern of capn12, a new member of the calpain large subunit gene family." Genomics 689(2):152-160. GenBank Accession Number: NP_068694.
	C85	Zeng, et al. (1993)"Cloning and characterization of two distinct human extracellular signal-regulated kinase activator kinases , MEK1 and MEK2." J. Biol. Chem. 268(15):11435-11439. GenBank Accession Number: NP_109587.
	C86	Delvin, et al. (1997) Direct Submission. GenBank Accession Number: O13776.
	C87	McCreary, et al. (1988)"Sequence of a human kidney cDNA clone encoding thymosin beta 10." Biochem. Biophys. Res. Commun. 152(2):862-866. GenBank Accession Number: P13472.
	C88	Webb, et al. (1993)"Cloning and functional expression of a brain G-protein-coupled ATP receptor." FEBS Lett. 324(2):219-225. GenBank Accession Number: P34996.
	C89	Zheng, et al. (1993)"Cloning and characterization of two distinct human extracellular signal-regulated kinase activator kinases, MEK1 and MEK2." J. Biol. Chem. 268(15):11435-11439. GenBank Accession Number: P36507.
	C90	Tokuyama, et al. (1995)"Cloning of rat and mouse P2Y purinoceptors." Biochem. Biophys. Res. Commun. 211(1):211-218. GenBank Accession Number: P49650.
	C91	Filtz, et al. (1994)"Expression of a cloned P2Y purinergic receptor that couples to phospholipase C." Mol. Pharmacol. 46(1):8-14. GenBank Accession Number: P49652.
	C92	Stipp, et al. (1994)"Cerebroglycan:an integral membrane heparin sulfate proteoglycan that is unique to the developing nervous system and expressed specifically during neuronal differentiation." J. cell. Biol. 124(1-2):149-160. GenBank Accession Number: P51653.
	C93	Bogdanov, et al. (1997)"Early expression of a novel nucleotide receptor in the neural plate of Xenopus embryos." J. Biol. Chem. 272(19):12583-12590. GenBank Accession Number: P79928.
	C94	Weterman, et al. (1993)"Thymosin beta 10 expression in melanoma cell lines and melonocytic lesions: A new progression marker for human cutaneous melanoma." Int. J. Cancer 53(2):278-284. GenBank Accession Number: S54005.
	C95	Wu,X. (1996). Direct Submission to the EMBL Data Library. GenBank Accession Number: T16522.
	C96	Ottenwaelder,B. et al. (2000). Direct Submission. GenBank Accession Number: T46395.
	C97	Blum, et al (2000). Direct Submission. GenBank Accession Number: T50629.
	C98	Tokuyama, et al. (1995)"Cloning of rat and mouse P2Y purinoceptors." Biochem. Biophys. Res. Commun. 211(1):211-218. GenBank Accession Number: U22829.
	C99	Stukenberg, et al. (1997)"Systematic identification of mitotic phosphoproteins." Curr, Biol. 7(5):338-348. GenBank Accession Number: U95102.
	C100	Ohno, et al. (1984)"Evolutionary origin of a calcium-binding protein?" Nature 312(5995):566-570. GenBank Accession Number: X01415.
	C101	NCBI Annotation Project (2002). Direct Submission. National Center for Biotechnology Information. GenBank Accession Number: XP_016871.
	C102	NCBI Annotation Project (2001). Direct Submission. National Center for Biotechnology Information. GenBank Accession Number: XP_034403.
	C103	NCBI Annotation Project (2002). Direct Submission. National Center for Biotechnology Information. GenBank Accession Number: XP_040307.
	C104	NCBI Annotation Project (2001). Direct Submission. National Center for Biotechnology Information. GenBank Accession Number: XP_040308.
	C105	NCBI Annotation Project (2002). Direct Submission. National Center for Biotechnology Information. GenBank Accession Number: XP_047520.
	C106	Ianzano, et al. (1997)"The genomic organization of the Fanconi anemia group A (FAA) gene." Genomics 41(3):309-314. GenBank Accession Number: Z83095.
	C107	Goldstein, J. L. and M. S. Brown (1973). "Familial hypercholesterolemia: identification of a defect in the regulation of 3-hydroxy-3-methylglutaryl coenzyme A reductase activity associated with overproduction of cholesterol." Proc Natl Acad Sci U S A 70(10): 2804-8.




Express Mail No. E1#####US

Date of Deposit: 06/08/2005

Page 6 of 6

OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS		
Initials	Cite No.	Name of Author, Title (when appropriate), Publication, Volume, Page(s), Date, Etc.
	C108	Goldstein, J. L., M. S. Brown, et al. (1977). "Genetics of the LDL receptor: evidence that the mutations affecting binding and internalization are allelic." <i>Cell</i> 12(3): 629-41.
	C109	Hyman, J., H. Chen, et al. (2000). "Epsin 1 undergoes nucleocytosolic shuttling and its eps15 interactor NH(2)-terminal homology (ENTH) domain, structurally similar to Armadillo and HEAT repeats, interacts with the transcription factor promyelocytic leukemia Zn(2)+ finger protein (PLZF)." <i>J Cell Biol</i> 149(3): 537-46.
	C110	Jones, N. C., Y. V. Fedorov, et al. (2001). "ERK1/2 is required for myoblast proliferation but is dispensable for muscle gene expression and cell fusion." <i>J Cell Physiol</i> 186(1): 104-15.
	C111	Lacasa, D., E. Garcia, et al. (1997). "Site-related specificities of the control by androgenic status of adipogenesis and mitogen-activated protein kinase cascade/c-fos signaling pathways in rat preadipocytes." <i>Endocrinology</i> 138(8): 3181-6.
	C112	Leipner, J. and R. Saller (2000). "Systemic enzyme therapy in oncology: effect and mode of action." <i>Drugs</i> 59(4): 769-80.
	C113	Li, C., B. Ullrich, et al. (1995). "Ca(2+)-dependent and -independent activities of neural and non-neural synaptotagmins." <i>Nature</i> 375(6532): 594-9.
	C114	Liu, D. M., C. Katnik, et al. (2000). "P2Y purinoceptor activation mobilizes intracellular Ca2+ and induces a membrane current in rat intracardiac neurones." <i>J Physiol</i> 526 Pt 2: 287-98.
	C115	Liu, K., L. Li, et al. (2000). "Antisense RNA-mediated deficiency of the calpain protease, nCL-4, in NIH3T3 cells is associated with neoplastic transformation and tumorigenesis." <i>J Biol Chem</i> 275(40): 31093-8.
	C116	Mansour, S. J., J. M. Candia, et al. (1996). "Constitutively active mitogen-activated protein kinase kinase 1 (MAPKK1) and MAPKK2 mediate similar transcriptional and morphological responses." <i>Cell Growth Differ</i> 7(2): 243-50.
	C117	Masliah, E., M. Mallory, et al. (2001). "Altered expression of synaptic proteins occurs early during progression of Alzheimer's disease." <i>Neurology</i> 56(1): 127-9.
	C118	Mishra, S. K., N. R. Agostinelli, et al. (2001). "Clathrin- and AP-2-binding sites in HIP1 uncover a general assembly role for endocytic accessory proteins." <i>J Biol Chem</i> 276(49): 46230-6.
	C119	Moriguchi, T., Y. Gotoh, et al. (1995). "Activation of two isoforms of mitogen-activated protein kinase kinase in response to epidermal growth factor and nerve growth factor." <i>Eur J Biochem</i> 234(1): 32-8.
	C120	Nagy, P. V., T. Feher, et al. (2000). "Apoptosis of murine thymocytes induced by extracellular ATP is dose- and cytosolic pH-dependent." <i>Immunol Lett</i> 72(1): 23-30.
	C121	Ongini, E., A. Monopoli, et al. (2001). "Selective adenosine A2A receptor antagonists." <i>Farmaco</i> 56(1-2): 87-90.
	C122	Osman, A. A., J. Hancock, et al. (2001). "Exercise training increases ERK2 activity in skeletal muscle of obese Zucker rats." <i>J Appl Physiol</i> 90(2): 454-60.
	C123	Perin, M. S., V. A. Fried, et al. (1990). "Phospholipid binding by a synaptic vesicle protein homologous to the regulatory region of protein kinase C." <i>Nature</i> 345(6272): 260-3.
	C124	Pieler, T. and E. Bellefroid (1994). "Perspectives on zinc finger protein function and evolution--an update." <i>Mol Biol Rep</i> 20(1): 1-8.
	C125	Reddy, A., E. V. Caler, et al. (2001). "Plasma membrane repair is mediated by Ca(2+)-regulated exocytosis of lysosomes." <i>Cell</i> 106(2): 157-69.
	C126	Rojas, F. J. and I. Moretti-Rojas (2000). "Involvement of the calcium-specific protease, calpain, in the fertilizing capacity of human spermatozoa." <i>Int J Androl</i> 23(3): 163-8.
	C127	Rosenthal, J. A., H. Chen, et al. (1999). "The epsins define a family of proteins that interact with components of the clathrin coat and contain a new protein module." <i>J Biol Chem</i> 274(48): 33959-65.
	C128	Shields, D. C., K. E. Schaefer, et al. (2000). "Calpain activity and expression increased in activated glial and inflammatory cells in penumbra of spinal cord injury lesion." <i>J Neurosci Res</i> 61(2): 146-50.
	C129	Sokolov, B. P., A. A. Tcherepanov, et al. (2000). "Levels of mRNAs encoding synaptic vesicle and



Express Mail No. E1#####US

Date of Deposit: 06/08/2005

Page 7 of 6

OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS

Exam Initial s	Cite No.	Name of Author, Title (when appropriate), Publication, Volume, Page(s), Date, Etc.
		synaptic plasma membrane proteins in the temporal cortex of elderly schizophrenic patients." Biol Psychiatry 48(3): 184-96.
	C130	Spradling, K. D., A. E. McDaniel, et al. (2001). "Epsin 3 is a novel extracellular matrix-induced transcript specific to wounded epithelia." J Biol Chem 276(31): 29257-67.
	C131	Yoshida, et al. (1998)"cDNA cloning and expression a novel serine protease, TLSP." Biochim. Biophys. Acta 1399:225-228. SWALL (S PTR) Accession Number: Q75837.
	C132	Li, et al. (1995)"Ca (2+)- dependent and –independent activities of neutral and non-neutral syna." Nature 375:594-599. SWALL (S PTR) Accession Number: Q62747.
	C133	Yousef, et al. (1999)"Identification of novel human kallikrein-like genes on chromosome 19q13.3-q." Anticancer res. 19:2843-2852. SWALL (S PTR) Accession Number: Q9UKQ9.
	C134	Adams, et al. (2000)"The genome sequence of Drosophila melanogaster." SWALL (S PTR) Accession Number: Q9V695.
	C135	Chatterton, et al. (1999)"Expression cloning of LDLB, a gene essential for normal Golgi function and assembly of the IdICp complex." Proc. Natl. Acad. Sci. U.S.A. 96:915-920. SWALL (S PTR) Accession Number: Q9Z160.
	C136	Sze, C. I., H. Bi, et al. (2000). "Selective regional loss of exocytotic presynaptic vesicle proteins in Alzheimer's disease brains." J Neurol Sci 175(2): 81-90.
	C137	Takamori, M., K. Komai, et al. (2000). "Antibodies to calcium channel and synaptotagmin in Lambert-Eaton myasthenic syndrome." Am J Med Sci 319(4): 204-8.
	C138	Tidball, J. G. and M. J. Spencer (2000). "Calpains and muscular dystrophies." Int J Biochem Cell Biol 32(1): 1-5.
	C139	Ulery, P. G., J. Beers, et al. (2000). "Modulation of beta-amyloid precursor protein processing by the low density lipoprotein receptor-related protein (LRP). Evidence that LRP contributes to the pathogenesis of Alzheimer's disease." J Biol Chem 275(10): 7410-5.
	C140	Verbeek, M. M., I. Otte-Holler, et al. (1999). "Agrin is a major heparan sulfate proteoglycan accumulating in Alzheimer's disease brain." Am J Pathol 155(6): 2115-25.
	C141	Wardas, J., J. Konieczny, et al. (2001). "SCH 58261, an A(2A) adenosine receptor antagonist, counteracts parkinsonian-like muscle rigidity in rats." Synapse 41(2): 160-71.
	C142	Wojtaszewski, J. F., J. Lyng, et al. (1999). "Differential regulation of MAP kinase by contraction and insulin in skeletal muscle: metabolic implications." Am J Physiol 277(4 Pt 1): E724-32.
	C143	Wootton, J. C. and S. Federhen (1996). "Analysis of compositionally biased regions in sequence databases." Methods Enzymol 266: 554-71.
	C144	Yoo, B. C., N. Cairns, et al. (2001). "Synaptosomal proteins, beta-soluble N-ethylmaleimide-sensitive factor attachment protein (beta-SNAP), gamma-SNAP and synaptotagmin I in brain of patients with Down syndrome and Alzheimer's disease." Dement Geriatr Cogn Disord 12(3): 219-25.
	C145	Yuan, P. X., L. D. Huang, et al. (2001). "The mood stabilizer valproic acid activates mitogen-activated protein kinases and promotes neurite growth." J Biol Chem 276(34): 31674-83.

* a copy of this reference is not provided as it was previously cited by or submitted to the office in a prior application, Serial No. _____, filed _____, and relied upon for an earlier filing date under 35 U.S.C. §120 (continuation, continuation-in-part, and divisional applications).

Examiner Signature		Date Considered
-----------------------	--	--------------------

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered.

Include copy of this form with next communication to applicant.